Actreen SafeSet® Ordering information


	СН	Reference	Units/box
ACTREEN SAFESET® Nelaton 47 cm			
	10	234 210	50
	12	234 212	50
	14	234 214	50
	16	234 216	50
	18	234 218	50

B.Braun Medical S.A.S. | RCS Nanterre 562050856 204, avenue du Maréchal Juin | 92660 Boulogne-Billancourt Cedex France www.bbraun.com/continence-care-and-urology

The content of this document, in particular the data, the information, the trademarks and the logos are B BRAUN MEDICAL SAS's sole property and are protected under copyright ©2013, B BRAUN MEDICAL, all rights reserved. Consequently, all representation and/or reproduction, whether in part or in full, is forbidden and would be considered a violation of B BRAUN MEDICAL SAS's copyright and other proprietary rights.

The products commercialized by B BRAUN MEDICAL shall exclusively be used in accordance with the package inserts which have been updated and included in the boxes.






How to use it?

ACTREEN SAFESET® YOUR PARTNER FOR NAUTI PREVENTION

Actreen SafeSet®

is a ready to use set for urinary catheterisation at Hospital, with integrated needle free urine sample port.



Integrated needle free sample port to prevent cross contamination




Reliable diagnosis for an improved antibiotic therapy management



Suitable for use with different urine sampling devices



Needle free Syringe / Luer outlet



Vacuum systems

Pre-lubricated catheter ready to use

> «No touch» system Guaranteed sterility



Actreen SafeSet*

Actreen SafeSet[®] How to use it?



- Patient preparation
 Hands disinfection
 Genitourinary area
- cleaning
- Should be done according to your implemented protocol

- Open the sterile packaging by tearing off the peal pouch and use it as a sterile drape during the procedure.
- 2. To release the catheter tip open at mark A to use the «No touch» system.

If you want to release the complete catheter, tear off at mark C.

The catheter is pre-lubricated and ready to be used.





3. Proceed to catheterisation without touching the catheter. When the urine stops flowing into the bag, remove the catheter.



4. Bring the urine into the top of the pouch by pulling up the bottom of the pouch to fill the urine sample port

area.

PARA

5. Press on the sample port in order to avoid air bubbles underneath.

6. Disinfect the sample port before taking the urine sample.

URINE SAMPLING

7. Insert the outlet into the sample port. Proceed with the sampling according to the device:









With vacuum systems

The urine sample is ready for urinalysis.

